

Free Shipping on Orders of \$100 or More. See page 3 for details.



Product Index

Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Oil Analysis	15
ATV/UTV Oil	16
Dirt Bike Oil/Suspension Fluid	17
Motorcycle Oil	18
Briggs & Stratton Synthetic 4T Racing Oil	21
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
4-Stroke/Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	33
Grease	35
Air Tool Oil	37
Bar and Chain Oil/Compressor Oil/Fuel Additives	38
Cleaners and Protectants	43
Coolant Boost/Coolant	45
Brake Fluid/Brake and Parts Cleaner/Power Steering Fluid	46
Waterless Wash & Wax/ Aftermarket Partners	47

[&]quot;All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Free Shipping on orders of \$100 or more in the contiguous U.S.

BECOME AN AMSOIL PREFERRED CUSTOMER FOR EVEN MORE GREAT BENEFITS:



Pay Wholesale Prices



Free Shipping



Get Exclusive Product Offers



Free Gear
Randomly receive free hats, shirts or other gear when you place an order.



P.C. Points
Earn points on all
purchases. Every
50 points earned is
redeemable for \$1
off a future order.



Referral Rewards
Refer friends and family
members to the AMSOIL
P.C. Program and receive
500 bonus points when the
referred customer makes a
qualifying purchase.

Sign up at www.amsoil.com/pc today and use this referral number. ▼

Referral #____

TECHNICAL QUESTIONS

(715) 399-8324 or tech@amsoil.com

SHIPPING AND HANDLING

Contiguous U.S. – Customers receive free shipping on orders of \$100 or more. Orders less than \$100 are charged a flat shipping fee of \$8.50. AMSOIL does not ship to PO Boxes. The \$100 threshold does not include taxes, fees or other charges. AMSOIL reserves the right to cancel any order due to unauthorized, altered or ineligible use of this offer and to modify or cancel this offer at any time. No price adjustments will be provided on previous purchases.

Alaska – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at www.amsoil.com for additional details.

Hawaii – Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at www.amsoil. com for additional details.

Military Post Boxes – AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at www.amsoil.com for additional details.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-956-5695 for instructions.

SALES TAX INFORMATION

AMSOIL INC. is required to collect state, city, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.

Prices subject to change without notice.







SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first.

whichever co	omes first.			, ,
OW-20 STOCK# ASMQT ASMQT ASM1G ASM1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 9.60 109.50 37.70 143.45	FULL PRICE 12.80 151.80 50.15 198.75
STOCK# ALMQT ALMQT ALM1G ALM1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 9.25 105.70 36.35 138.40	FULL PRICE 12.40 147.00 48.50 192.30
OW-30 STOCK# AZOQT AZOQT AZO1G AZO1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 9.60 109.50 37.70 143.45	FULL PRICE 12.80 151.80 50.15 198.75
STOCK# ASLQT ASLQT ASL1G ASL1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 9.25 105.70 36.35 138.40	FULL PRICE 12.40 147.00 48.50 192.30
TOW-30 STOCK# ATMQT ATMQT ATM1G ATM1G	UNITS EA CA EA CA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons	P.C. PRICE 9.25 105.70 36.35 138.40	FULL PRICE 12.40 147.10 48.55 192.40
• OW-40 STOCK # AZFQT AZFQT O 5W-50	UNITS EA CA	PKG./SIZE 1 Quart 12 Quarts	P.C. PRICE 9.60 109.50	FULL PRICE 12.80 151.80
STOCK # AMRQT AMRQT	UNITS EA CA	PKG./SIZE 1 Quart 12 Quarts	P.C. PRICE 9.60 109.50	FULL PRICE 12.80 151.85

^{*}Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. Extra protection that lasts up to 12,000 miles or 1 year, whichever comes first.

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQT	EA	1 Quart	6.80	9.35
XLZQT	CA	12 Quarts	77.20	110.20
XLZ1G	EA	1 Gallon	26.40	36.25
XLZ1G	CA	4 Gallons	100.40	143.20

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQT	EA	1 Quart	6.80	9.35
XLMQT	CA	12 Quarts	77.20	110.20
XLM1G	EA	1 Gallon	26.40	36.25
XLM1G	CA	4 Gallons	100.40	143.25

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQT	EA	1 Quart	6.80	9.35
XLFQT	CA	12 Quarts	77.20	110.20
XLF1G	EA	1 Gallon	26.40	36.25
XLF1G	CA	4 Gallons	100.40	143.25

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQT	EA	1 Quart	6.80	9.35
XLTQT	CA	12 Quarts	77.20	110.25
XLT1G	EA	1 Gallon	26.40	36.25
XLT1G	CA	4 Gallons	100.40	143.30

0 10W-40

1044-	TU			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	EA	1 Quart	6.80	9.35
XLOQT	CA	12 Quarts	77.20	110.25
XL01G	EA	1 Gallon	26.40	36.30
XL01G	CA	4 Gallons	100.40	143.35

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement calm, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.





Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQT	EA	1 Quart	5.35	7.60
OEZQT	CA	12 Quarts	61.00	89.35
OEZ1G	EA	1 Gallon	20.95	29.55
OEZ1G	CA	4 Gallons	79.65	116.50

● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQT	EA	1 Quart	5.35	7.60
OEMQT	CA	12 Quarts	61.00	89.40
OEM1G	EA	1 Gallon	20.95	29.55
OEM1G	CA	4 Gallons	79.65	116.55

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQT	EA	1 Quart	5.35	7.60
OEFQT	CA	12 Quarts	61.00	89.40
OEF1G	EA	1 Gallon	20.95	29.55
0EF1G	CA	4 Gallons	79.65	116.50
	OEFQT OEFQT OEF1G	OEFQT EA OEFQT CA OEF1G EA	OEFQT EA 1 Quart OEFQT CA 12 Quarts OEF1G EA 1 Gallon	OEFQT EA 1 Quart 5.35 OEFQT CA 12 Quarts 61.00 OEF1G EA 1 Gallon 20.95

● 10W-30

10W-30							
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE			
OETQT	EA	1 Quart	5.35	7.60			
OETQT	CA	12 Quarts	61.00	89.45			

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK# P.C. PRICE FULL PRICE G1230 0.70 0.80



PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL European Car Formula features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.



European Car Formula Synthetic Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- Outstanding All-Season Performance
- Engineered for Maximum Fuel Economy
- Enhanced Turbocharger Protection

EUROPEAN CAR FORMULA



European Car Formula 5W-30 Improved Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: VW 504.00/507.00
Use in vehicles that require API SN • ACEA C3 • GM
dexos2[™] • Chrysler MS-11106 • MB 229.51 • BMW LL-04
• Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQT	EA	1 Quart	10.35	13.75
AELQT	CA	12 Quarts	118.15	162.85
AEL1G	EA	1 Gallon	40.70	53.80
AEL1G	CA	4 Gallons	155.00	213.45

European Car Formula 5W-40 Improved Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: BMW Longlife-04 • MB-Approval 229.51 • Porsche A40

Use in vehicles that require ACEA C3 • API SN/SM/CF... • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2™ (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • Audi/Volkswagen 502 00/505 11

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQT	EA	1 Quart	9.05	12.15
AFLQT	CA	12 Quarts	103.35	143.80
AFL1G	EA	1 Gallon	35.55	47.45
AFI 1G	CA	4 Gallons	135 25	188 05

European Car Formula 0W-40 Classic Emissions System Protection Synthetic Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • Audi/Volkswagen 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	EA	1 Quart	8.85	11.85
EFOQT	CA	12 Quarts	100.80	140.50

European Car Formula 5W-40 Classic Emissions System Protection Synthetic Motor Oil

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQT	EA	1 Quart	6.60	9.10
EFMQT	CA	12 Quarts	75.00	107.40
EFM1G	EA	1 Gallons	25.85	35.55
EFM1G	CA	4 Gallons	98.30	140.60

BUILD IT.

CRUISE IT.





O Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 4-oz. Tube	7.35	9.45
EALTB	CA	(12) 4-oz. Tubes	83.80	111.90

Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQT	EA	1 Quart	6.50	8.95
BRKQT	CA	12 Quarts	73.75	106.05

Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQT	EA	1 Quart	8.90	11.95
ZRTQT	CA	12 Quarts	101.30	141.40

20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQT	EA	1 Quart	9.25	12.35
ZRFQT	CA	12 Quarts	105.40	146.70

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.





DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	1 Quart	10.50	13.90
RD20QT	CA	12 Quarts	119.90	165.25

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	1 Quart	10.50	13.90
RD30QT	CA	12 Quarts	119.90	165.30

15W-50

L PRICE
14.60
173.40
57.30
227.45

ZE	P.C. PRICE	FULL PRICE
rt	10.50	13.90
rts	119.90	165.30

SAE (60			
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	1 Quart	11.40	15.00
RD60QT	CA	12 Quarts	130.10	178.50









20W-50 Synthetic **Competition Diesel Oil**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE	
DCOQT	EA	1 Quart	9.15	12.25	
DCOQT	CA	12 Quarts	104.15	145.05	
DCO1G	EA	1 Gallon	35.80	47.85	
DCO1G	CA	4 Gallons	136.30	189.65	

DEVOTED TO



Signature Series Max-Duty Synthetic Diesel Oil Use in vehicles that require API CK-4, CJ-4 or Cl-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.1

5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	1 Quart	9.15	12.25
DHDQT	CA	12 Quarts	104.30	145.10
DHD1G	EA	1 Gallon	35.85	47.90
DHD1G	CA	4 Gallons	136.50	189.75
DHDTP	ĒΑ	(1) 2.5 Gallon	88.50	116.60
DHDTP		(2) 2 5 Gallons		231 15

OW-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFQT	EA	1 Quart	8.90	11.95
DZFQT	CA	12 Quarts	101.30	141.15
DZF1G	EA	1 Gallon	34.80	46.55
DZF1G	CA	4 Gallons	132.55	184.50

5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DEOQT	EA	1 Quart	8.80	11.80
DEOQT	CA	12 Quarts	100.35	140.05
DE01G	EΑ	1 Gallon	34.50	46.20
DE01G	CA	4 Gallons	131.25	183.00
DEOTP	EA	(1) 2.5 Gallon	85.05	112.45
DEOTP	CA	(2) 2.5 Gallons	162.00	222.90

O 15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQT	EA	1 Quart	8.65	11.60
DMEQT	CA	12 Quarts	98.45	137.70
DME1G	EA	1 Gallon	33.80	45.40
DME1G	CA	4 Gallons	128.75	179.90
DMETP	EA	(1) 2.5 Gallon	83.40	110.55
DMETP	CA	(2) 2.5 Gallons	158.85	219.05

1than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.

TO ORDER – Call 1-800-956-5695, 7 a.m. to 7 p.m. Central Time, M – F Free Shipping on Orders of \$100 or More (except in Alaska and Hawaii)

PROTECTION.



TO ORDER – Call 1-800-956-5695, 7 a.m. to 7 p.m. Central Time, M – F Free Shipping on Orders of \$100 or More (except in Alaska and Hawaii)



Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

Long-service-life oil engineered for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQT	EA	1 Quart	9.75	12.95
HDDQT	CA	12 Quarts	111.05	153.80
HDD1G	EA	1 Gallon	38.25	50.75
HDD1G	CA	4 Gallons	145.55	201.35
HDDTP	EA	(1) 2.5 Gallon	94.45	123.75
HDDTP	CA	(2) 2.5 Gallons	179.85	245.45



15W-40 Synthetic Heavy Duty Diesel and Marine Oil

Use in vehicles that require API CI-4+

High 12 total base number protects against acids, soot thickening, oxidation and wear in pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQT	EA	1 Quart	8.20	11.05
AMEQT	CA	12 Quarts	93.25	131.05
AME1G	EA	1 Gallon	32.00	43.15
AME1G	CA	4 Gallons	121.80	171.00
AMETP	EA	(1) 2.5 Gallon	78.85	105.05
AMETP	CA	(2) 2.5 Gallons	150.15	208.05



10W-30/SAE 30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

Exceeds both 10W-30 multi-grade and SAE 30 straight-grade viscosity requirements. Engineered for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACD1G	EA	1 Gallon	32.00	43.15
ACD1G	CA	4 Gallons	121.80	170.90





Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQT	EA	1 Quart	8.90	11.90
AMOQT	CA	12 Quarts	101.15	141.10
AMO1G	EA	1 Gallon	34.75	46.55
AMO1G	CA	4 Gallons	132.30	184.40
AMOTP	EA	(1) 2.5 Gallon	85.75	113.35
AMOTP	CA	(2) 2.5 Gallons	163.30	224.60



STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQT	EA	1 Quart	8.95	12.05
AROQT	CA	12 Quarts	102.25	142.65
ARO1G	EA	1 Gallon	35.15	47.05
AR01G	CA	4 Gallons	133.80	186.50



Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oaitesting.com.

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT01	1 sample kit (includes two-way postage)	28.35	34.00
KIT02	1 sample kit (includes UPS shipping)	28.35	33.90
KIT06	1 sample kit	20.50	24.60
KIT14	1 value sample kit	15.70	19.15
G1206	Oil Suction Pump w/10-ft. hose	26.25	28.90
G1571	Replacement Hose 25-ft.	8.35	9.20



SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QT	EA	1 Quart	9.65	13.75
AUV40QT	CA	12 Quarts	109.95	163.00

5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QT	EA	1 Quart	10.05	14.25
AUV50QT	CA	12 Quarts	114.70	169.40

Synthetic ATV/UTV **Transmission & Differential Fluid**

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQT	EA	1 Quart	11.10	15.15
AUDTQT	CA	12 Quarts	126.80	180.30

Synthetic ATV/UTV Front Drive Fluid

Purpose-built for superior gear and bearing protection in Polaris* hubs and centralized Hilliard* clutches.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUFDQT	EA	1 Quart	11.20	14.80
AUFDQT	CA	12 Quarts	127.90	175.40

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* UTVs and ATVs using AMSOIL Synthetic ATV/UTV Motor Oil. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1	EA	1 kit	31.50	43.05
PK2	EA	1 kit	27.50	37.45
PK3	EA	1 kit	25.95	35.45

*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.







Available April 2

OUT-FRONT PERFORMANCE







SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QT	EA	1 Quart	10.00	14.15
DB40QT	CA	12 Quarts	113.75	168.20

10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QT	EA	1 Quart	10.40	14.70
DB50QT	CA	12 Quarts	118.60	174.95

● 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	1 Quart	10.70	15.10
DB60QT	CA	12 Quarts	121.75	179.30

Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	1 Quart	8.30	11.95
DBTFQT	CA	12 Quarts	94.50	141.65

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

Lightweight #5

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	1 Quart	11.10	14.60
STLQT	CA	12 Quarts	126.65	173.60
STL05	EA	(1) 5-gal. Pail	205.80	277.90

Medium #10

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	1 Quart	10.85	14.35
STMQT	CA	12 Quarts	124.00	170.25
STM05	EA	(1) 5-gal Pail	201 35	272 45



SYNTHETIC V-TWIN MOTORCYCLE OIL

20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell*, Ducati*, Aprilia*, BMW* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQT	EA	1 Quart	10.15	13.45
MCVQT	CA	12 Quarts	115.65	159.90
MCV1G	EA	1 Gallon	39.85	52.80
MCV1G	CA	4 Gallons	151.65	209.45

V-Twin Oil Change Kit

Includes everything needed to perform an AMSOIL oil change on most 1999-2016 Harley-Davidson* motorcycles, including (4) quarts of 20W-50 Synthetic V-Twin Motorcycle Oil (MCV), (1) chrome Ea® Motorcycle Oil Filter (EaOM134C) and (1) O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	55.35	75.65

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	1 Quart	11.00	14.55
MCSQT	CA	12 Quarts	125.70	172.85

20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

HDCK

STUCK#	UNIIS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQT	EA	1 Quart	10.05	13.35
MVIQT	CA	12 Quarts	114.35	158.35



MCV



Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQT	EA	1 Quart	11.45	15.55
MVTQT	CA	12 Quarts	130.45	185.15

Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQT	EA	1 Quart	9.95	13.70
MVPQT	CA	12 Quarts	113.60	162.70





*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSQIL for use in the applications sh



10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

STOCK# MCFQT MCFQT MCF1G	UNITS EA CA EA	PKG./SIZE 1 Quart 12 Quarts 1 Gallon	P.C. PRICE 10.15 115.80 39.90	FULL PRICE 13.50 160.00 52.85
			00.00	
MCF1G	CA	4 Gallons	151.85	209.65

● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 MCTQT
 EA
 1 Quart
 9.75
 12.95

 MCTQT
 CA
 12 Quarts
 111.10
 153.95





'All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

ACCEPT NO SUBSTITUTES.





Briggs & Stratton Synthetic 4T Racing Oil

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK # UNITS PKG./SIZE P.C. PRICE **FULL PRICE** GBS2960 EA 1 Quart 11.25 15.95 GBS2960 12 Quarts 191.56



Outboard • Inboard
 InboardOutboard
 (I/O) • Watercraft

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQT	EA	1 Quart	8.55	11.50
WCTQT	CA	12 Quarts	97.50	136.35

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQT	EA	1 Quart	9.20	12.30
WCFQT	CA	12 Quarts	104.90	145.90

25W-40 (Synthetic Blend)

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQT	EA	1 Quart	6.95	9.75
WCMOT	CA	12 Quarts	79 40	115 55





HPM

HPITIERITIE

Pete Maina Pro Fisherman

HP Marine[™] Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQT	EA	1 Quart	8.00	10.85
HPMQT	CA	12 Quarts	91.05	128.20
HPM1G	EA	1 Gallon	31.25	42.25
HPM1G	CA	4 Gallons	118.90	167.25









Outboard 100:1 Pre-Mix **Synthetic 2-Stroke Oil**

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

STOCK# ATOBC	UNITS EA	PKG./SIZE (1) 8-oz. Bottle	P.C. PRICE 4.15	FULL PRICE 5.65
ATOBC	CA	(12) 8-oz. Bottles	47.20	65.85
ATOQT	EA	` 1 Quart	11.15	14.70
ATOQT	CA	12 Quarts	127.15	174.75

Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities, even when subjected to 10 percent water contamination, in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions.

OUTSTANDING **PROTECTION** FOR LOWER UNITS

AGMTB AGMTB AGMQT AGMQT AGM05

STOCK#

UNITS FA CA EΑ CA EA

PKG./SIZE (1) 10-oz. Tube (6) 10-oz. Tubes 1 Quart 12 Quarts (1) 5-gal. Pail

P.C. PRICE **FULL PRICE** 6.15 35.05 9.75 111.40

180.35

8.25

48.55

13.00

154.45

246.55

Marine Gear Lube Pump

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK # G3456

P.C. PRICE 9.45

FULL PRICE 10.05





Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQT	EA	1 Quart	6.80	9.55
AIOQT	CA	12 Quarts	77.20	112.80
AIO1G	EA	1 Gallon	26.60	37.35
AlO1G	CA	4 Gallons	101.25	147.70




• INTERCEPTOR® Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQT	EA	1 Quart	8.95	12.00
AITQT	CA	12 Quarts	102.10	142.35
AIT1G	EA	1 Gallon	35.10	46.95
AIT1G	CA	4 Gallons	133.60	186.10

Meets the performance requirements of Polaris*, Arctic Cat* and Ski-Doo* two-stroke snowmobiles.



The piston rings earned perfect 10 merit ratings, demonstrating no ring sticking and excellent performance.

The piston skirts exhibited 0.00% scuffing, proving INTERCEPTOR's outstanding friction-reduction capabilities.

Complete results at amsoil.com/proof

Severe-Duty Dyno Results

INTERCEPTOR® Synthetic 2-Stroke Oil was installed in a Ski-Doo* Renegade X snowmobile equipped with a Rotax* E-TEC* 800R engine. Following a 50-hour severe-duty dyno session designed to simulate a full season of real-world conditions, the engine was disassembled and rated for wear and deposits by a calibrated ASTM rater. Results prove INTERCEPTOR virtually eliminated wear and deposits throughout the entire engine.

*All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



● DOMINATOR® Synthetic 2-Stroke Racing Oil

Delivers outstanding wear protection in highhorsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQT	EA	1 Quart	9.40	12.55
TDRQT	CA	12 Quarts	107.10	148.90
TDR1G	EA	1 Gallon	36.85	49.15
TDR1G	CA	4 Gallons	140.30	194.85

MAXIMUM PERFORMANCE





Tim Tremblay

Team AMSOIL
Scheuring Speed Sports

TCC ZMASOID, CHAINCASE & GEAR OIL

Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCCN	EA	(1) 16-oz. Bottle	7.85	10.80
TCCCN	CA	(6) 16-oz. Bottles	44.80	63.90
TCC05	EA	(1) 5-gal. Pail	166.95	229.10

SABER® Professional Synthetic 2-Stroke Oil

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK# ATPPK ATPPK ATPPS ATPTS ATPBA ATPBA ATPSF ATPSF ATPBC ATPBC ATPTE ATPTE ATPTE ATPTE ATPTE ATPTI ATPOT ATPOT ATP1G	UNITS EA CA EA	PKG./SIZE (1) 1.5-oz. Pillow Pack (48) 1.5-oz. Pillow Packs (1) 2.6-oz. Bottle (12) 2.6-oz. Bottles (1) 3.5-oz. Bottles (1) 6.4-oz. Bottles (1) 6.4-oz. Bottle (12) 6.4-oz. Bottle (12) 8-oz. Bottle (12) 8-oz. Bottles (1) 12.8-oz. Bottles (1) 12.8-oz. Bottles 1 Quart 12 Quarts 1 Gallon	P.C. PRICE 1.20 53.25 2.00 22.35 2.10 24.00 3.30 37.35 3.95 44.85 6.20 70.80 10.10 115.30 39.70	FULL PRICE 1.80 79.40 2.75 31.50 3.00 33.95 4.55 53.15 5.40 62.80 8.45 99.75 13.45 159.55 52.65



SABER® Ratio™ 100:1...1.3 oz....1 U.S. GAL

*All trademarked images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use. All products advertised here are developed by AMSOIL for use in the applications shown.



Formula 4-Stroke® Power Sports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQT	EA	1 Quart	9.75	12.95
AFFQT	CA	12 Quarts	111.05	153.80

Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQT	EA	1 Quart	7.25	9.95
ASEQT	CA	12 Quarts	82.70	117.35
ASE1G	EA	1 Gallon	28.30	38.60
ASE1G	CA	4 Gallons	107.75	152.75
ASE05	EA	(1) 5-gal. Pail	132.60	185.60

10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	1 Quart	7.35	10.05
ASFQT	CA	12 Quarts	83.95	118.95
ASF1G	EA	1 Gallon	28.75	39.20
ASF1G	CA	4 Gallons	109.45	154.95
ASF05	EA	(1) 5-gal. Pail	134.70	188.30

20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	1 Quart	9.25	12.40
AHFQT	CA	12 Quarts	105.55	146.90
AHF1G	EA	1 Gallon	36.30	48.50
AHF1G	CA	4 Gallons	138.20	192.15
AHF05	EA	(1) 5-gal. Pail	170.65	234.10

○ Formula 4-Stroke® Synthetic Scooter Oil

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASOQT	EA	1 Quart	7.60	10.35
ASOQT	CA	12 Quarts	86.80	122.65

Signature Series Synthetic Automatic Transmission Fluid

Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.



Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval - Miles

Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQT	EA	1 Quart	11.10	14.65
ATFQT	CA	12 Quarts	126.65	173.75
ATF1G	EA	1 Gallon	43.70	57.45
ATF1G	CA	4 Gallons	166.35	227.90
ATFTP	EA	(1) 2.5 Gallon	108.05	140.10
ATFTP	CA	(2) 2.5 Gallons	205.80	278.15



Fuel-Efficient

Provides the same benefits as AMSOIL Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQT	EA	1 Quart	11.40	14.95
ATLQT	CA	12 Quarts	129.80	177.70
ATL1G	EA	1 Gallon	44.80	58.75
ATL1G	CA	4 Gallons	170.55	233.20
ATLTP	EA	(1) 2.5 Gallon	110.85	143.35
ATI TP	CA	(2) 2 5 Gallons	211 05	284 65

^{*}All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.





OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passengercar/light-truck transmissions.

Multi-Vehicle

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
	ONIIO		r.u. Phile	FULL PRICE
OTFQT	EA	1 Quart	7.45	10.20
OTFQT	CA	12 Quarts	85.05	120.30
OTF1G	EA	1 Gallon	29.35	39.90
OTF1G	CA	4 Gallons	111.75	157.80
OTFTP	EA	(1) 2.5 Gallon	72.25	96.95
OTFTP	CA	(2) 2.5 Gallons	137.55	191.80



Fuel-Efficient

Provides the same benefits as AMSOIL OE Multi-Vehicle Synthetic Automatic Transmission Fluid in a fuel-efficient formulation engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQT	EA	1 Quart	7.15	9.80
OTLQT	CA	12 Quarts	81.30	115.45
OTL1G	EA	1 Gallon	28.05	38.25
OTL1G	CA	4 Gallons	106.70	151.30
OTLTP	EA	(1) 2.5 Gallon	68.95	92.95
OTLTP	CA	(2) 2.5 Gallons	131.25	183.80



Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

	DV0 /0175		
UNIIS	PKG./SIZE	P.C. PRICE	FULL PRICE
EA	1 Quart	10.55	14.45
CA	12 Quarts	120.20	171.25
EA	1 Gallon	41.45	56.55
CA	4 Gallons	157.75	224.50
EA	(1) 2.5 Gallon	102.45	137.05
CA	(2) 2.5 Gallons	195.05	272.10
	CA EA CA EA	EA 1 Quart CA 12 Quarts EA 1 Gallon CA 4 Gallons EA (1) 2.5 Gallon	EA 1 Quart 10.55 CA 12 Quarts 120.20 EA 1 Gallon 41.45 CA 4 Gallons 157.75 EA (1) 2.5 Gallon 102.45



100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	1 Quart	16.75	23.05
DCTQT	CA	12 Quarts	190.90	274.55



Synthetic Manual Transmission and Transaxle Gear Lube

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQT	EA	1 Quart	13.55	17.60
MTGQT	CA	12 Quarts	154.35	209.40
MTG05	EA	(1) 5-gal. Pail	252.00	336.75
MTG55	EA	55-gal. Drum	2,613.20	3,253.75



Synthetic Synchromesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQT	EA	1 Quart	11.75	15.45
MTFQT	CA	12 Quarts	134.20	183.70
MTF05	EA	(1) 5-gal. Pail	218.40	294.55
MTF55	EA	55-gal. Drum	2,243.60	2,825.10

^{*}All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



● Super Shift® Racing Transmission Fluid

Formulated to prevent slippage and reduce heat in highperformance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	1 Quart	10.75	14.20
ARTQT	CA	12 Quarts	122.55	168.55



Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1G	EA	1 Gallon	44.60	58.55
ATD1G	CA	4 Gallons	169.90	232.40
ATDTP	EA	(1) 2.5 Gallon	110.45	142.90
ATDTP	CA	(2) 2.5 Gallons	210.30	283.70



Synthetic Tractor/Hydraulic Transmission Oil

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	1 Quart	9.15	12.25
ATHQT	CA	12 Quarts	104.15	145.00
ATH05	EA	(1) 5-gal. Pail	168.30	230.95
ATH30	EA	30-gal. Drum	951.30	1,241.75
ATH55	EA	55-gal. Drum	1,692.10	2,177.85



Severe Gear® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

75W-90

Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
9100K#	OINITO	PKG./SIZE	P.G. PRIGE	FULL PRICE
SVGQT	EA	1 Quart	13.35	17.40
SVGQT	CA	12 Quarts	152.50	207.15
SVG05	EA	(1) 5-gal. Pail	239.70	321.45

75W-110

Extra viscosity protection without sacrificing fuel efficiency

STOCK# UNITS PKG./SIZE P.C. PRICE FUL	L PRICE	
STOCK# UNITS TRU./SIZE T.C.THICL TOL		
SVTQT EA 1 Quart 13.80	17.95	
SVTQT CA 12 Quarts 157.50	213.65	
SVT05 EA (1) 5-gal. Pail 248.10	332.15	

● 75W-140

Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQT	EA	1 Quart	14.70	19.05
SVOQT	CA	12 Quarts	167.90	227.05
SV005	EA	(1) 5-gal. Pail	265.40	354.05



Easy Installation

PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	10.45	11.50
Flexible Pour Spout	G1230	0.70	0.80
Nozzle Dispenser Caps (6)	G1242	1.15	1.30



○ Slip Lock® Differential Additive

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATB	EA	(1) 4-oz. Tube	7.00	9.00
ADATB	CA	(12) 4-oz. Tubes	79.50	106.25



Severe Gear® EP Synthetic Racing Gear Lube

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, tractor pulling, funny car racing and dragster racing applications.

SAE 190

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRNQT	EA	1 Quart	14.30	18.55
SRNQT	CA	12 Quarts	163.20	221.10
SRN05	EA	(1) 5-gal. Pail	266.70	356.00

● SAE 250

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	1 Quart	14.30	18.55
SRTQT	CA	12 Quarts	163.20	221.15
SRT05	EA	(1) 5-gal. Pail	266.70	356.05



Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for overthe-road trucks and heavy equipment.

75W-90

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQT	EA	1 Quart	12.10	15.85
FGRQT	CA	12 Quarts	137.85	188.55
FGR1G	EA	1 Gallon	47.70	62.50
FGR1G	CA	4 Gallons	181.65	248.20
FGR05	EA	(1) 5-gal. Pail	224.45	302.50

● 80W-140

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FG005	EA	(1) 5-gal. Pail	214.20	289.75
FG016	EA	16-gal. Keg	677.05	886.55
FG030	EA	30-gal. Drum	1,226.95	1,573.35
FG055	EA	55-gal. Drum	2,191.65	2,769.40



Excellent extreme-pressure performance and wear protection for applications specifying SAE 80W-90 conventional gear lube.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	1 Quart	9.40	12.55
AGLQT	CA	12 Quarts	106.95	148.75
AGL05	EA	(1) 5-gal. Pail	163.80	225.60



Ea® Oil Filters

AMSOIL Ea Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 98.7 percent at 20 microns. Featuring advanced full-synthetic technology, Ea Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Ea Filters designated with product code Ea15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service.
- Ea Filters designated with product code EaO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service.

STOCK# Ea15K01 Ea15K02 Ea15K03 Ea15K04 Ea15K08 Ea15K09 Ea011 Ea15K12 Ea15K13 Ea015 Ea017	UNITS EA	P.C. PRICE 16.80 17.10 15.65 16.30 17.35 15.60 14.35 14.05 14.80 15.50 14.20	FULL PRICE 21.25 21.60 19.80 20.55 21.95 20.05 18.45 17.95 18.90 19.90 18.25	STOCK# Ea15K29 Ea15K32 Ea034 Ea038 Ea042 Ea15K49 Ea15K50 Ea15K51 Ea052 Ea15K53 Ea059	UNITS EA	P.C. PRICE 14.90 14.60 15.40 15.35 15.00 20.50 13.60 14.05 15.60 13.15 15.15	FULL PRICE 19.05 18.80 19.70 19.55 19.25 25.90 17.50 18.00 20.00 16.80 19.40
EaO15	EA	15.50	19.90	Ea15K53	EA	13.15	16.80

Which filter do I need?

Call 1-800-956-5695 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Ea Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Ea Oil Filters are available to Preferred Customers by the case. See page 3 for information on becoming a Preferred Customer.

Fill in your vehicle information. Then call 1-800-956-5695 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.				
Make	Year	Model		
Engine				
VIN				
Your AMSOIL Oil Filter is		Your WIX Oil Filter is		
Your WIX Air Filter is				

Ea 15K 13

More Premium Ea® Filters

AMSOIL offers a variety of specialty Ea oil and air filters constructed with premium synthetic technology. Call (715) 399-TECH (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.













Ea Heavy-Duty Extended-Life Oil Filters

Provide excellent 98.7 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

Ea Bypass Filters

High-efficiency bypass filters effectively remove minute dirt particles and soot. Provide an efficiency rating of 98.7 percent at two microns.

Ea Universal Air Induction Filters

Fit most popular air intake systems on the market, providing improved cold air intake and excellent efficiency for superior engine protection and performance. Cleanable and remain serviceable for long filter life.

Ea Racing Air Filters

Specially designed for carbureted racing and street rod applications, providing higher dirt-holding capacity, lower pressure drop and greater airflow and efficiency. Cleanable and remain serviceable for long filter life.

Ea Pre-Filters

Constructed of woven mesh and designed to fit over the top of Ea Racing and Air Induction Filters, preventing large particles from sticking to them and blocking airflow. Easily removed and shaken free of debris in seconds. Cleanable and remain serviceable for up to one year.

Ea Motorcycle Oil Filters

Most efficient filters available for the motorcycle and powersports market. Provide excellent 98.7 percent filtering efficiency at 20 microns. Available in black or chrome (as available).







DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

_				
Use in app	lications t	hat require NLGI No. 2		
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 14-oz. Cartridge	10.45	14.30
GRGCR	CA	(10) 14-oz. Cartridges	101.55	137.95

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease

 Use in applications that require NLGI No. 1

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 GPOR1CR
 EA
 (1) 15-oz. Cartridge
 7.55
 10.45

 GPOR1CR
 CA
 (10) 15-oz. Cartridges
 74.35
 100.10

Synthetic Polymeric Off-Road Grease

 Use in applications that require NLGI No. 2

 STOCK#
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 GPOR2CR
 EA
 (1) 15-oz. Cartridge
 7.85
 10.85

 GPOR2CR
 CA
 (10) 15-oz. Cartridges
 77.30
 103.90

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 1

STOCK# UNITS PKG./SIZE P.C. PRICE

GPTR1CR EA (1) 14-oz. Cartridge 6.20 8.60 GPTR1CR CA (10) 14-oz. Cartridges 60.65 82.50

Synthetic Polymeric Truck, Chassis and Equipment Grease
Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 14-oz. Cartridge	6.65	9.25
GPTR2CR	CA	(10) 14-oz. Cartridges	65.25	88.40

FULL PRICE

GLC STATE OF STATE O

Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 14-oz. Cartridge	6.20	8.65
GLCCR	CA	(10) 14-oz. Cartridges	59.15	82.25
GLC3P	EA	(3) 3-oz. Cartridges	8.10	11.00
GLC3P	CA	(30) 3-oz. Cartridges	76.70	103.40
GLCGN	EA	Grease Gun Kit	30.35	41.05





FULL PRICE

11.25

107.75

GWR



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2 STOCK# UNITS PKG./SIZE P.C. PRICE **FULL PRICE GWRCR** EΑ (1) 14-oz. Cartridge 6.60 9.15 CA 87.25 **GWRCR** (10) 14-oz. Cartridges 62.95 8.75 GWR3P EΑ (3) 3-oz. Cartridges 11.90 GWR3P CA (30) 3-oz. Cartridges 83.30 112.05



X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2				
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	
GXCCR	EA	(1) 14-oz. Cartridge	8.15	
GXCCR	CA	(10) 14-oz. Cartridges	78.60	



GSP





FWG

Arctic Synthetic Grease

Provides extreme low-temperature pumpability and superior protection for equipment operating in harsh climates where temperatures drop well below freezing.

Use in app	olications	that require NLGI No. 1		
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GECCR	EA	(1) 15-oz. Cartridge	9.45	12.95
GECCR	CA	(10) 15-oz. Cartridges	91.45	122.05

Synthetic Fifth-Wheel Grease

Heavy-duty lubricant that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

Use in app	plications t	that require NLGI No. 2		
STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FWGTB	EA	(1) 10-oz. Tube	7.20	9.40
FWGTB	CA	(12) 10-oz. Tubes	81.90	111.45

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GSPSC	EA	(1) 10-oz. Spray Can	6.35	8.35
GSPSC	CA	(12) 10-oz. Spray Cans	72.45	99.00



Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 4-oz. Bottle	3.40	4.55
AIRBA	CA	(12) 4-oz. Bottles	38.55	53.05



Semi-Synthetic Bar and Chain Oil

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ABCQT	EA	1 Quart	4.70	6.80
ABCQT	CA	12 Quarts	53.55	80.00
ABC1G	EA	1 Gallon	18.20	26.30
ABC1G	CA	4 Gallons	69.30	103.50
ABC05	EA	(1) 5-gal. Pail	84.00	124.25

Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

ISO 46, SAE 20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQT	EA	1 Quart	10.40	13.75
PCIQT	CA	12 Quarts	118.45	163.20
PCI05	EA	(1) 5-gal. Pail	192.15	260.85

● ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQT	EA	1 Quart	10.95	14.40
PCKQT	CA	12 Quarts	124.60	171.25
PCK05	EA	(1) 5-gal. Pail	202.40	274.10



Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCN	EA	(1) 16-oz. Bottle	9.65	12.75
ASTCN	CA	(6) 16-oz. Bottles	55.05	75.55




• P.i.®

Provides improved fuel mileage up to 5.7% and reduces emissions in gasoline direct-injected and port-fuel-injected engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APICN	EA	(1) 12-oz. Bottle	10.65	13.85
APICN	CA	(12) 12-oz. Bottles	121.25	164.65


Two of the four dirty injectors tested were fouled >15% and another was fouled >10%. After one tank of operation on AMSOIL P.i., all injectors returned to >95% flow.





Intake valve **before**P.i. treatment.

Intake valve after P.i. treatment.



Injector spray pattern **before** P.i. treatment.



Injector spray pattern **after**P.i. treatment.



Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and fourstroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCN	EA	(1) 8-oz. Bottle	7.70	10.15
AQSCN	CA	(6) 8-oz. Bottles	43.80	60.20
AQSQT	EA	` 1 Quart	24.65	31.20
AQSQT	CA	12 Quarts	281.30	373.00



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.





Improves the performance of all two- and four-stroke gasoline-fueled engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AOBBE	EA	(1) 12-oz. Bottle	8.35	10.70
AOBBE	CA	(6) 12-oz. Bottles	47.45	63.25

Motorcycle Octane Boost

Increases octane up to three numbers for maximum power and efficiency in motorcycles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCN	EA	(1) 4-oz. Bottle	4.15	5.30
MOBCN	CA	(12) 4-oz. Bottles	47.00	62.25

Diesel Recovery

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCCN	EA	(1) 30-oz. Bottle	12.65	16.45
DRCCN	CA	(12) 30-oz. Bottles	144.05	195.55

Diesel Cold Flow

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). New formula treats double the fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADDCN	EA	(1) 16-oz. Bottle	6.85	9.20
ADDCN	CA	(12) 16-oz. Bottles	78.05	108.95
ADD05	EA	(1) 5-gal. Pail	190.05	259.00

Diesel Cetane Boost

Raises the cetane number of diesel fuel up to seven points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45.

STOCK# UNITS PKG,/SIZE P.C. PRICE ACBCN EA (1) 16-oz. Bottle 7.25 ACBCN CA (12) 16-oz. Bottles 82.70 ACBHG EA (1) 64-oz. Bottle 23.45 ACBHG CA (6) 64-oz. Bottles 133.90 ACB05 EA (1) 5-gal. Pail 200.40	9.80 115.50 30.85 184.40 273.20
ACB05 EA (1) 5-gal. Pail 200.40	273.20







ECONOMY IMPROVEMENT ADF FUEL

ADB



Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFPCN	EA	(1) 8-oz. Bottle	3.65	5.10
ADFPCN	CA	(6) 8-oz. Bottles	20.60	29.65
ADFCN	EA	(1) 16-oz. Bottle	6.65	8.95
ADFCN	CA	(12) 16-oz. Bottles	75.45	105.55
ADFHG	EA	(1) 64-oz. Bottle	21.85	28.70
ADFHG	CA	(6) 64-oz. Bottles	124.60	171.55
ADF05	EA	` (1) 5-gal. Pail	181.40	248.00

Diesel All-In-One

Combines the superior deposit-removing properties of AMSOIL Diesel Injector Clean, the excellent anti-gelling properties of AMSOIL Diesel Cold Flow and the cetaneboosting benefits of AMSOIL Diesel Cetane Boost in one convenient package.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBPCN	EA	(1) 8-oz. Bottle	4.65	6.35
ADBPCN	CA	(6) 8-oz. Bottles	26.40	37.30
ADBCN	EA	(1) 16-oz. Bottle	8.55	11.35
ADBCN	CA	(12) 16-oz. Bottles	97.35	134.40
ADBHG	EA	(1) 64-oz. Bottle	29.50	38.15
ADBHG	CA	(6) 64-oz. Bottles	168.40	228.00
ADB05	EA	` (1) 5-gal. Pail	254.40	340.70

SUPERIOR COLD-TEMPERATURE PROTECTION



Independent testing reveals AMSOIL Diesel All-In-One (ADB) provides as much as 32° f better protection against coldtemperature gelling than **Howes Lubricator Diesel** Treat. Plus. AMSOIL Diesel All-In-One boosts cetane by up to 4 points.1

¹Based on independent testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.

^{*}All trademarked names are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



FOG

4/1/5/1/1/

ENGINE

ADG

AMSOIL

HEAVY





Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ACLSC	EA	(1) 11-oz. Spray Can	8.70	11.45
ACLSC	CA	(6) 11-oz. Spray Cans	49.50	67.90

Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FOGSC	EA	(1) 12-oz. Aerosol Can	7.40	9.60
FOGSC	CA	(6) 12-oz. Aerosol Cans	42.25	57.00

Power Foam[®]

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
APFSC	EA	(1) 18-oz. Spray Can	7.75	10.25
APFSC	CA	(12) 18-oz. Spray Cans	88.20	121.50

Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents, attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete, engines and other surfaces.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADGSC	EA	(1) 15-oz. Spray Can	14.05	17.85
ADGSC	CA	(12) 15-oz. Spray Cans	160.05	212.55

Silicone Spray

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALSSP	EA	(1) 10-oz. Spray Can	7.50	9.75
ALSSP	CA	(12) 10-oz. Spray Cans	85.70	115.80





Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBA	EA	(1) 4-oz. Bottle	7.75	10.50
FLPBA	CA	(12) 4-oz. Bottles	88.20	124.35
FLPSC	EA	(1) 5-oz. Spray Can	9.45	11.85
FLPSC	CA	(12) 5-oz. Spray Cans	107.75	140.65



Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FCPSC	EA	(1) 5-oz. Spray Can	5.55	7.55
FCPSC	CA	(12) 5-oz. Spray Cans	63.00	89.05



Metal Protector

Displaces water, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMPSC	EA	(1) 8.75-oz. Spray Can	5.55	7.20
AMPSC	CA	(12) 8.75-oz. Spray Cans	63.00	85.05



AMH

Heavy-Duty Metal Protector

Penetrates and adheres to metal surfaces, leaving a longlasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMHSC	EA	(1) 15-oz. Spray Can	9.45	13.10
AMHSC	CA	(12) 15-oz. Spray Cans	107.75	155.55

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCN	EA	(1) 16-oz. Bottle	8.75	11.60
FLSHCN	CA	(12) 16-oz. Bottles	100.00	137.75
FLSH05	EA	` (1) 5-gal. Pail	264.60	353.30



FLSH









DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 16-oz. Bottle	9.85	12.85
RDCBCN	CA	(6) 16-oz. Bottles	56.05	76.35

Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first, in heavy-duty applications..

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	1 Gallon	30.00	41.75
ANT1G	CA	4 Gallons	114.25	165.10

Passenger Car/Light Truck Antifreeze & Coolant

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTPC1G	EA	1 Gallon	15.20	23.50
ANTPC1G	CA	4 Gallons	57 75	92 20

Heavy-Duty Antifreeze & Coolant

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 600,000 miles, 12,000 hours or 6 years, whichever comes first.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANTHD1G	EA	1 Gallon	16.45	25.05
ANTHD1G	CA	4 Gallons	62.60	98.45

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	12.10	13.30
G1165	EA	6 Strips	4.50	4.95

BFIV

BFR

DOT 3 & 4 Synthetic Brake Fluid

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFLVCN	EA	(1) 12-oz. Bottle	5.90	7.75
BFLVCN	CA	(12) 12-oz. Bottles	67.20	91.80

DOMINATOR DOT 4 Synthetic **Racing Brake Fluid**

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BFRCN	EA	(1) 12-oz. Bottle	11.40	16.05
BFRCN	CA	(12) 12-oz. Bottles	129.80	191.05

Brake and Parts Cleaner

Professional strength parts cleaner that quickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BPCSC	EA	(1) 19-oz. Spray Can	4.15	5.80
BPCSC	CA	(12) 19-oz. Spray Cans	47.25	67.95

Multi-Vehicle Synthetic **Power Steering Fluid**

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCN	EA	(1) 16-oz. Bottle	6.40	8.65
PSFCN	CA	(12) 16-oz. Bottles	72.95	101.95



BPC





Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.



Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMWSC	EA	(1) 13-oz. Spray Can	8.20	10.55
AMWSC	CA	(12) 13-oz. Spray Cans	93.25	125.40

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-956-5695 (Monday - Friday, 7 a.m. -7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).







The Company of FIRSTS

More than 40 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.





The First in Synthetics®

One AMSOIL Center AMSOIL INC.

Superior, WI 54880







(Discover in U.S. only)

Your Servicing AMSOIL Dealer

and make ordering easier. Call toll-free at 1-800-956-5695. Credit card orders only. ◀ Refer to this referral number to save time

Referral # 1203272